

SAFETY DATA SHEET



DATE ISSUED :	4/28/2016
SDS REF. No :	2750-CLE17101

2750-CLE17101 2K VINYL WASH COAT

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 2750-CLE17101 2K VINYL WASH COAT

PRODUCT CODE: 2750-CLE17101

PRODUCT USE: Industrial Solventborne Paint

MANUFACTURER

Cardinal Industrial Finishes
1329 Potrero Ave

S. El Monte, CA,
626 444-9274

24 HR. EMERGENCY TELEPHONE NUMBER

CHEMTREC (US Transportation): (800)424-9300

CHEMTREC (International Transportation) : 1(202)483-7616

WEB: WWW.CARDINALPAINT.COM

2. HAZARDS IDENTIFICATION

PICTOGRAMS



SIGNAL WORD : DANGER

HAZARD STATEMENTS :

H226 Flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS :

210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P403 Store in a well-ventilated place.

P501 Dispose of in accordance with Local, Regional, State, Federal and International Regulations.

R40 Limited evidence of a carcinogenic effect.

S36 Wear suitable protective clothing.

S37 Wear suitable gloves.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	
Acetic Acid, tert-butyl ester	20% - 25%	540-88-5	
Acetone	15% - 20%	67-64-1	

Methyl Amyl Ketone	15% - 20%	110-43-0	
Glycol Ether PM	10% - 15%	107-98-2	
Ethyl Alcohol	10% - 15%	64-17-5	
Methyl Isobutyl Ketone	1% - 5%	108-10-1	

4. FIRST AID MEASURES

Description of first aid measures.

EYES CONTACT : Flush with large quantities of water for 15 to 30 minutes. Remove contact lenses. Keep eyes wide open while rising. If eye irritation persists: Get medical attention.

SKIN CONTACT : Wash exposed area with mild soap and water for 15 to 30 minutes. Remove contaminated clothing. Repeated exposure may cause dryness or cracking.

INGESTION : Rinse mouth. Do NOT induce vomiting. Keep victim warm and seek immediate attention.

INHALATION : Remove to fresh air and keep in a position comfortable to breath. Call a doctor/physician if you feel unwell. Get medical attention.

Most important symptoms and effects, both acute and delayed. Symptoms/injuries: Eye irritation

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Cause serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed.

If medical advise is needed, have product container or label on hand.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : In the event of a fire, use specifically suitable extinguishing agents. Suitable extinguishing media: Foam, alcohol resistant foam, CO₂, water fog. Unsuitable extinguishing media: Do not use heavy water stream. A heavy water stream may spread burning liquid.

FIRE FIGHTING PROCEDURE : Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

UNUSUAL FIRE AND EXPLOSION HAZARD : Fire hazard: Highly flammable/liquid or vapor.

Explosive hazard: May form flammable/explosive vapor-air mixture.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :

General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

FOR NON-EMERGENCY PERSONNEL :

For non-Emergency procedures: Evacuate unnecessary personnel.

FOR EMERGENCY RESPONDERS :

Equip cleanup crew with proper protection. Avoid breathing fume, vapors.

ENVIRONMENTAL PRECAUTIONS :

Prevent entry to sewers and public waters.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP :

Collect damaged aerosols and use absorbent and/or inert material, then place in suitable container.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING : Additional hazards when processed: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area to prevent formation of vapor. No smoking. Use only non-sparking tools. Use outdoors or in a well ventilated area. Avoid breathing fume, vapors.

Hygiene measures: Wash Skin thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES : Storage conditions: Store in a dry, cool and well-ventilated place away from: Heat sources. Direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight. Heat Sources.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Acetone(67-64-1)		
USA ACGIH	ACGIH STEL TLV	750 ppm
USA ACGIH	ACGIH TWA TLV	500 ppm
USA NIOSH	NIOSH STEL (Table Z-1)	1,000 ppm, 2,400 mg/m3
USA NIOSH	NIOSH TWA	250 ppm, 590 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	1,000 ppm, 2,400 mg/m3
Ethyl Alcohol(64-17-5)		
USA ACGIH	ACGIH TWA (TLV)	1,000 ppm
USA NIOSH	NIOSH TWA	1,000 ppm, 1,900 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	1,000 ppm, 1,900 mg/m3
Formaldehyde(50-00-0)		
USA ACGIH	ACGIH (TLV)	0.3 ppm
USA OSHA	OSHA (PEL) STEL	2 ppm
USA OSHA	OSHA (PEL) STEL	2 ppm STEL 15 min
USA OSHA	OSHA (PEL) TWA	0.75 ppm
Glycol Ether PM(107-98-2)		
USA ACGIH	ACGIH (TLV) (TWA)	50 ppm
USA ACGIH	ACGIH (TLV) STEL	100 ppm
USA NIOSH	NIOSH (TLV) ST	150 ppm, 540 mg/m3
USA NIOSH	NIOSH (TWA)	100 ppm, 360 mg/m3
Isobutyl Alcohol(78-83-1)		
USA ACGIH	ACGIH TWA	50 ppm
USA OSHA	OSHA PEL	100 ppm, 300 mg/m3
Methyl Alcohol(67-56-1)		
USA ACGIH	ACGIH (TLV) STEL	250 ppm
USA ACGIH	ACGIH (TLV) TWA	200 ppm
USA NIOSH	NIOSH (REL) ST	250 ppm, 325 mg/m3
USA NIOSH	NIOSH (REL) TWA	200 ppm, 260 mg/m3
USA OSHA	OSHA (OEL) TWA (Table Z-1)	200 PPM, 260 mg/m3
Methyl Amyl Ketone(110-43-0)		
USA ACGIH	ACGIH TLV TWA	50 ppm
USA OSHA	OSHA PEL (Table Z-1)	100 ppm, 465 mg/m3
Methyl Isobutyl Ketone(108-10-1)		
USA ACGIH	ACGIH TLV (ppm)	75 ppm
USA NIOSH REL	NIOSH STEL (ppm)	75 ppm
USA NIOSH REL	NIOSH TWA (ppm)	50 ppm
USA OSHA	OSHA TWA (ppm)	100 ppm

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : If TLV of the product or any component is exceeded, a NIOSH approved dust respirator is advised in absence of environmental control. OSHA Regulations also permit other NIOSH dust respirators under specified conditions. (See your Safety Equipment Supplier) Engineering or administrative controls should be implemented to reduce exposure.

HAND PROTECTION REMARKS : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

EYES PROTECTION : Eye wash bottle with pure water.

Tightly fitting safety goggles.

Where face-shield and protective suit for abnormal processing problems.

SKIN AND BODY PROTECTION : Wear impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

WORK HYGIENIC PRACTICES: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Color	:	Various colors depending on the pigmentation.
Odor	:	Characteristic. Sweet. Mint like.
Odor threshold	:	No data available.
Ph	:	N/A – See Technical Data Sheet
Evaporation rate	:	Slower Than Ether
Melting point	:	-94.7 C (-138.46 F)
Freezing point	:	No data available.
Boiling point	:	-3.0 deg F TO 305.0 deg F
Flash point	:	-4.00 deg F
Lower explosion limit	:	1.0
Upper explosion limit	:	19.0
Vapor pressure	:	185 mm Hg
Vapor density	:	Heavier than air
Relative density	:	No data available.
Density	:	7.1269
Solubility	:	No data available.
Partion coefficient: n-octanol/water	:	No data available.
Autoignition temperature	:	No data available.
Decomposition temperature	:	No data available.

10. STABILITY AND REACTIVITY

REACTIVITY : No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY : Stable under normal conditions.

CONDITIONS TO AVOID : Heat, flames and sparks. Extremely high temperatures and direct sunlight.

INCOMPATIBLE MATERIALS : Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. TOXICOLOGICAL INFORMATION

Acetone(67-64-1)	
Aspiration toxicity	Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above TLV value may cause narcotic effects., Solvents may degrease the skin.
Carcinogenicity	Species: mouse, (female), Application Route: Dermal; Exposure time: .365 d (90%) or 424 d (100%), Dose: 0.1ml 90(71mg) or 100% (79mg), Frequency of Treatment: 3 times a wk, NOAEL: 79; Result: did not display carcinogenic properties., Carcinogenicity-Assessment: Not classified as a human carcinogen.
Germ cell mutagenicity	Test Type: mammalian cell gene mutation assay. Test species: Mouse Lymphoma, Metabolic activation: Without metabolic activation; Method: OECD Guideline 476; Result: negative; Test Type: Ames test, Metabolic activation: Without metabolic activation; Method: OECD Guideline 471; Result: negative, Test Type: Chromosome aberration test in vitro, Test species: Chinese hamster ovary (CHO), Metabolic activation: Without metabolic activation; Method: OECD Guideline 473; Result: negative; Genotoxicity in vivo: Test Type: I vivo micronucleus test. Test species: Mouse, Application Route: Oral, Exposure: 13 wk, Dose: 5,000, 10,000, 20,000 ppm, Result: negative
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat) Inhalation	76 mg/l (4 h exposure)
LD50 (rat) Oral	5,800 mg/kg; Symptoms: tremors
LD50 Dermal	>7,426 mg/kg
Repeated dose	Species: mouse, male, NOAEL: 20,000, Application Route: Oral, Exposure time: 13 wk, Number

exposure	of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available.; Species: mouse, female, NAOEL 20000, LAOEL: 50000; Application Route: Oral, Exposure time: 13 wk, Number of exposures: daily, Dose: 1250, 2500, 5000, 10000, 20000, Method OECD Test Guideline 408, GLP: No data available; Repeated dose toxicity Assessment: causes mild skin irritation., Causes serious eye irritation.
Reproductive toxicity	Effects on fertility: Species: rat, male; Application Route: oral; Dose: 0, 5,000, 10,000 mg/l; Frequency of Treatment: 7 days/week; General Toxicity - Parent: LOAEL: 10,000; Fertility: 10,000; Effects on foetal development: Species: rat; Application Route: Inhalation; Dose: 0, 440, 2200, 11,000 ppm; Frequency of Treatment: 7 days/week; General Toxicity Material: NOAEC: 2,200 ppm; Tetragenicity: NOAEC: 2,200 ppm; Embryo-fetal toxicity: NOAEC: 2,200 ppm; Result: No teratogenic potential. GLP: No data available.; Reproductive toxicity Assessment: Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitisation	Test type: Maximization test, Species: guinea pig, Assessment: Does not cause skin sensitization. Result: Did not cause sensitization on laboratory animals.
Serious eye damage/eye irritation	Species: rabbit, Result : Slightly irritating to eyes, Exposure time: 24 h, Classification: Irritating to eyes, Remarks: Eye irritation.
Skin corrosion/irritation	Species: rabbit, Exposure time: 24 h, Classification: Not irritating to skin, Method: In vivo, Result: Mild irritation, Remarks: Repeated or prolonged contact with the mixture may cause removal natural fat from the skin resulting in desiccation of the skin.
STOT - single exposure	Exposure routes: Inhalation (vapor); Assessment: May cause drowsiness or dizziness.
STOT- repeated exposure	No data available.
Ethyl Alcohol(64-17-5)	
Additional Information	RTECS: KQ6300000 Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Heart - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Aspiration hazard	No data available.
Carcinogenicity - Mouse - Oral	Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. IARC: No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Dermal:	No data available
Germ cell mutagenicity	No data available.
LC50 Inhalation - Rat	20000 ppm, (10 h)
LD50 Oral - Rat	7,060 mg/kg , Remarks: Lungs, Thorax, or Respiration: Other changes.
Reproductive toxicity	No data available. Reproductive toxicity - Human - female - Oral Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation Eyes Rabbit	Result: Mild eye irritation - 24 h (OECD Test Guideline 405)
Skin corrosion/irritation Skin - Rabbit	Result: No skin irritation - 24 h (OECD Test Guideline 404)
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Formaldehyde(50-00-0)	
Genotoxicity	Formaldehyde was found to be weakly mutagenic in a number of in vitro genotoxicity tests and positive in certain in vivo screening tests for mutagenicity. Formaldehyde did not cause birth defects in rats inhaling concentrations up to 10 ppm. However, a study using higher levels did show a slight but statistically significant reduction in male fetal body weight.
LD50 Dermal - Rabbit	270 mg/kg
LD50 Inhalation - Rat	0.31-0.59 mg/l (4 h) (Dust/ Mist)
LD50 Oral - Rat - Acute toxicity	100 mg/kg, Rat
Other Information	Lifetime inhalation of formaldehyde vapor at concentrations above 5 ppm for 6 hours per day, caused nasal tumors in laboratory animals. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to the occurrence of nasopharyngeal cancer, a rare type of cancer. IARC also found limited evidence of cancer of the nasal cavity and

	paranasal sinuses and insufficient evidence for an association between formaldehyde and leukemia. Inhalation caused liver and kidney damage in laboratory animal tests.
Sensitization	Formaldehyde has been reported to cause pulmonary hypersensitivity in some individuals who were exposed to concentrations known to cause irritation, however, no pulmonary sensitization has been demonstrated in laboratory animal studies.
Skin/Eye irritation	Can cause severe eye and moderate skin irritation.
Specific Target Organ Toxicity - Repeated exposure	Repeated skin exposure to solutions of 2% or more formaldehyde has caused skin allergic reactions.
Specific Target Organ Toxicity - Single	No data.
Glycol Ether PM(107-98-2)	
Additional Information	RTECS: UB7700000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Additional Information	RTECS: UB7700000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available
LC50 Inhalation - Rat - Inhalation	10000 ppm, - Rat - 5 h
LD50 Dermal - Rabbit - Dermal	13,000 mg/kg, Rabbit
LD50 Oral - Mouse - Acute Toxicity	11,700 mg/kg, Behavioral: Convulsions or effect on seizure threshold. Behavioral: Ataxia. Lungs, Thorax, or Respiration: Dyspnea.
Reproductive toxicity	No data available.
Serious eye damage/eye irritation	Eyes - Rabbit Result: Mild eye irritation - 24 h Respiratory or skin sensitization
Skin corrosion/irritation	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.
Isobutyl Alcohol(78-83-1)	
Carcinogenicity Data:	The ingredient(s) of this product is (are) not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.
LC50 Inhalation - Rat	8000 ppm; (4 h)
LD50 Dermal - Rabbit	3400 mg/kg
LD50 Oral - Rat (Acute Toxicity)	2460 mg/kg
Mutagenicity Data:	No adverse mutagenicity effects are anticipated.
Reproductive Data:	No adverse reproductive effects are anticipated.
Respiratory / Skin Sensitization Data:	None known.
Synergistic Materials:	Alcohols may interact synergistically with chlorinated solvents (example - carbon tetrachloride, chloroform, bromotrichloromethane), dithiocarbamates (example - disulfiram), dimethylnitrosamine and thioacetamide.
Tetragenicity Data:	No adverse Tetragenicity effects are anticipated.
Methyl Alcohol(67-56-1)	
Additional Information	RTECS: PC1400000 Methyl alcohol may be fatal or cause blindness if swallowed. Effects due to ingestion may include: Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed., Damage of the: Liver, Kidney Central nervous system - Breathing difficulties - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence.
Aspiration hazard	No aspiration toxicity classification
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

	carcinogen by OSHA. Reproductive toxicity Damage to fetus not classifiable Fertility classification not possible from current data. Specific target organ toxicity - single exposure Causes damage to organs.
Germ cell mutagenicity	Ames test S. typhimurium Result: negative in vitro assay fibroblast Result: negative Mutation in mammalian somatic cells. Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Mouse - male and female Result: negative.
LC50 Inhalation - Rat	5 mg/l
LD50 Dermal - Rabbit	300 mg/kg
LD50 Oral - Rat Acute Toxicity	100 mg/kg
Reproductive toxicity	Damage to fetus not classifiable Fertility classification not possible from current data.
Respiratory or skin sensitization	Maximization Test (GPMT) - Guinea pig Does not cause skin sensitization. (OECD Test Guideline 406)
Serious eye damage/eye irritation	Eyes - Rabbit Result: No eye irritation
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation
Specific target organ toxicity - repeated exposure	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Specific target organ toxicity - single exposure	Causes damage to organs.
Methyl Amyl Ketone(110-43-0)	
Aspiration hazard	May be harmful if swallowed and enters airways.
Carcinogenicity	No data available.
LD50 Dermal - (Rat)	>2,000 mg/kg
LD50 Inhalation - (Rat)	>16.7 mg/l (4 h)
LD-50 Oral - (Rat)	1,600 mg/kg
Mutagenicity	In vitro, No data available., In vivo, No data available.
Other adverse effects	No data available.
Repeated dose toxicity	No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Skin Sensitization:, (Mouse) - non-sensitizing.
Serious eye damage/eye irritation	(Rabbit, 24 h): slight.
Skin corrosion/irritation	(Rabbit, 24 h): moderate.
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Methyl Isobutyl Ketone(108-10-1)	
Carcinogenicity Data	Methyl Isobutyl Ketone: Possibly carcinogenic to humans. (IARC-2B)
LC50 (Rat, 4) Inhalation	8.2 - 16.4 mg/l
LD50 (Rabbit) Dermal	>1 600 mg/kg
LD50 (Rat) Oral	2 080 - 4 600 mg/kg
Mutagenicity Data	Mutagenicity tests in animals have been negative or inconclusive. See "Other Studies Relevant to Material".
Other Studies Revelent Material	According to the International Agency for Research on Cancer (IARC), methyl isobutyl ketone is possibly carcinogenic to humans. (IARC-2B) MIBK was not teratogenic, embryotoxicity or fetotoxic following exposures that did not produce maternal toxicity. Rats and mice were exposed to 300, 1000 or 3000 ppm MIBK on days 6-15 of pregnancy. Exposures to 3000 ppm produced maternal and fetal toxicity, but no teratogenicity. There was no maternal toxicity, embryotoxicity or teratogenicity at 300 or 1000 ppm. Findings of fetotoxicity at 300 ppm were complicated by abnormal litter sizes and were determined not to be treatment related. (4) MIBK produced negative results in the micronucleus cryptogenic assay in mice in vivo. Most mutagenicity tests have produced negative results.
Reproductive Data	No adverse reproductive effects are anticipated.
Respiratory / Skin Sensitization Data	None known.
Synergistic Materials	In studies with mice, MIBK prolonged the loss of righting reflex induced by ethanol. In animal studies, MIBK has been shown to potentiate the hepatotoxicity of haloalkanes, such as chloroform, carbon tetrachloride and 1,2-dichlorobenzene. Combined exposure to methyl ethyl ketone and MIBK caused increased behavioral responses in baboons.

Teratogenicity Data	No adverse teratogenic effects are anticipated. See "Other Studies Relevant to Material".
---------------------	-------------------------------------------------------------------------------------------

12. ECOLOGICAL INFORMATION

Acetone(67-64-1)	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: -0.24
EC50 (Daphnia magna (Water flea))	7,630 mg/l (Exposure time 48 h); Test substance: Acetone
LC50 (Oncorhynchus mykiss (rainbow trout))	6,100 mg/l (Exposure time: 48 h)
Mobility in soil	No data available.
Other adverse effects	No data Available. Regulation: 40 CFR Protection of Enviroment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances., Additional ecological information: No data available.
Persistence and degradability	Biodegradability: Remarks: No data available
Toxicity to algae	Remarks: No data available
Ethyl Alcohol(64-17-5)	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
Toxicity	No data available.
Formaldehyde(50-00-0)	
EC50 Daphnia - Toxicity to Water Flea	11.3-18 mg/l (48 h), Daphnia magna
LC50 Oncorhynchus - Toxicity to fish	100-136 mg/l, (96 h), Oncorhynchus mykiss
Toxicity to Algae	Not available.
Glycol Ether PM(107-98-2)	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Toxicity	No data available.
Isobutyl Alcohol(78-83-1)	
Chronic Degradability / Persistence; Biological / A biological Degradation	Evaluation: Not readily biodegradable (by OECD criteria).
EC50 - Aquatic Plants	>100 mg/l (72 h) The product has not been tested. The statement has been derived from properties of the individual components.
EC50 - Daphnia - Acute	>100 mg/l (48 h) The product has not been tested. The statement has been derived from properties of the individual components.
LC50 - Fish - Acute	>100 mg/l (96 h) The product has not been tested. The statement has been derived from properties of the individual components.
Microorganisms	Toxicity to microorganisms: bacteria EC10 (17 h): >750 mg/l. The product has not been tested. The statement has been derived from properties of the individual components.
Methyl Alcohol(67-56-1)	
Bioaccumulative potential	Bioaccumulation Cyprinus carpio (Carp) - 72 d at 20 °C - 5 mg/l Bioconcentration factor (BCF): 1.0
EC50 - Daphnia magna -	> 10,000.00 mg/l - 48 h Toxicity to daphnia and other aquatic invertebrates, Daphnia magna (Water flea)
EC50 - Scenedesmus capricornutum - Toxicity to algae	22,000.0 mg/l - 96 h, Scenedesmus capricornutum (fresh water algae)
IC50 Activated sludge - Toxicity to bacteria	>1,000 mg/l, Exposure 3 h, Test type Static, Method OECD Test Guideline 209.

LC50 - Lepomis macrochirus - Toxicity to Fish	15,400.0 mg/l - 96 h, Lepomis macrochirus (Bluegill)
Mobility in soil	Will not adsorb on soil.
Other adverse effects	No data available.
Persistence and degradability	Biodegradability aerobic - Exposure time 5 d Result: 72 % - rapidly biodegradable Biochemical Oxygen Demand (BOD) 600 - 1,120 mg/g Chemical Oxygen Demand (COD) 1,420 mg/g Theoretical oxygen demand 1,500 mg/g
Methyl Amyl Ketone(110-43-0)	
Aquatic invertebrates	No data available.
Bioaccumulative potential	No data available.
Chronic Toxicity (Fish)	No data available.
ErC50 (Senastrum capricornutum)	98.2 mg/l, 72 h
LC50 (Fathead Minnow) Acute toxicity	131 mg/l , (96 h)
Mobility in soil	No data available.
Persistence and degradability	69 % (28 d, Ready Biodegradability - CO2 in Sealed Vessels (Headspace Test)). Biological Oxygen Demand BOD-5: 1,770 mg/g BOD-20: 2,000 mg/g , Chemical Oxygen Demand: 2,420 mg/g, BOD/COD ratio No data available.
Results of PBT and vPvB assessment	No data available.
Methyl Isobutyl Ketone(108-10-1)	
Deactivating Chemicals: None required.	None required.
Disposal of Packaging	Empty containers retain product residue (liquid and/or vapour) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner. Do not expose such containers to heat, flame, sparks, static electricity, or other sources of ignition; they may explode and cause injury or death. Do not dispose of package until thoroughly washed out.
EC50 (Daphnia Magna)	>200 mg/l (48 h)
Ecotoxicity	Low acute toxicity to aquatic organisms.
Environmental Fate	Can be dangerous if allowed to enter drinking water intakes. Do not contaminate domestic or irrigation water supplies, lakes, streams, ponds, or rivers. Methyl Isobutyl Ketone: This product is biodegradable. This product does not bioaccumulate in aquatic or terrestrial food chains.
LC50 (Fathead Minnow)	>179 mg/l (96 h)
Safe Handling of Residues	See "Waste Disposal Methods"
Waste Disposal Methods	. Reevaluation of the product may be required by the user at the time of disposal since the product uses, transformations, mixtures and processes may influence waste classification. Dispose of waste material at an approved (hazardous) waste treatment/disposal facility in accordance with applicable local, provincial and federal regulations. Do not dispose of waste with normal garbage, or to sewer systems.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

GENERAL INFORMATION : No data available.

DISPOSAL METHOD: Dispose of waste and residues in accordance with Local, State, and Federal Regulations. Mix with compatible chemical which is less flammable and incenerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind or weld or near this container.

14. TRANSPORT INFORMATION

***CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRICTIONS THAT MAY APPLY.**

USDOT GROUND

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME (DOT) : Paint

HAZARDS CLASS : 3

UN/NA NUMBER : UN1263

PACKING GROUP : PG II

EMERGENCY RESPONSE GUIDE (ERG) : 128

IATA (AIR)
DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)
PROPER SHIPPING NAME : Paint
HAZARDS CLASS : 3
UN/NA NUMBER : UN1263
PACKING GROUP : PG II
EMERGENCY RESPONSE GUIDE (ERG) : 128

IMDG (OCEAN)
PROPER SHIPPING NAME : Paint
HAZARDS CLASS : 3
UN/NA NUMBER : UN1263
PACKING GROUP : PG II
EMERGENCY RESPONSE GUIDE (ERG) : 128

MARINE POLLUTANT : No
SPECIAL PRECAUTIONS : P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P235 Keep cool.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

All ingredients in Section #3 are TSCA (Toxic Substance Control Act) listed.

OSHA HAZARDS : Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen.

EPCRA - Emergency

CERCLA REPORTABLE QUANTITY

This product contains:	Chemical CAS#
Ethyl Alcohol	64-17-5
Isobutyl Alcohol	78-83-1
Formaldehyde	50-00-0

SARA 304 Extremely Hazardous Substances Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SARA 311/312 Hazards : Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 :

This product contains:	Chemical CAS#
Acetic Acid, tert-butyl ester	540-88-5
Acetone	67-64-1
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Ethyl Alcohol	64-17-5
Methyl Isobutyl Ketone	108-10-1

CLEAN AIR ACT :

This product contains:	Chemical CAS#
Methyl Isobutyl Ketone	108-10-1
Methyl Alcohol	67-56-1
Formaldehyde	50-00-0

INTERNATIONAL REGULATIONS

CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :

Flam. Liq. Cat. 2; H226
 Eye Irrit. Cat. 2; H319
 STOT SE 3 H336

NATIONAL REGULATIONS

This product contains:	Chemical CAS#
#Methyl Isobutyl Ketone	108-10-1

Indicates a chemical listed by IARC as a possible carcinogen.

**STATE REGULATIONS
CALIFORNIA PROPOSITION 65**

This product contains:	Chemical CAS#
#Methyl Isobutyl Ketone	108-10-1
+Methyl Alcohol	67-56-1
*Formaldehyde	50-00-0

*This product contains (a) chemical (s) known to the State of California to cause cancer.

#This product contains (a) chemical (s) known to the State of California to be carcinogenic.

+This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

Massachusetts Right to Know

This product contains	Chemical CAS#
Acetone	67-64-1
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Methyl Alcohol	67-56-1
Isobutyl Alcohol	78-83-1
Formaldehyde	50-00-0

Pennsylvania Right to Know

This product contains	Chemical CAS#
Acetone	67-64-1
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Ethyl Alcohol	64-17-5
Poly(melamine-co-formaldehyde) methylated/butylated (55/45)	
Methyl Alcohol	67-56-1
Isobutyl Alcohol	78-83-1
Formaldehyde	50-00-0

New Jersey Right to Know

This product contains	Chemical CAS#
Acetone	67-64-1
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Ethyl Alcohol	64-17-5
Poly(melamine-co-formaldehyde) methylated/butylated (55/45)	
Methyl Alcohol	67-56-1
Isobutyl Alcohol	78-83-1
Formaldehyde	50-00-0

16. OTHER INFORMATION

Other Product Information

% Volatile by Volume: 90.00

% Solids by volume: 10.00

% Exempt by Volume: 43.18

% Volatile by Weight: 87.18

% Solids by Weight: 12.82

% Exempt by Weight: 41.71

VOC CONTENT:


Excluding Exempt VOC: 683

Including Exempt VOC: 388

HMIS RATING

Health :	2*
Flammability :	3
Reactivity :	0
Personal Protection :	H

NFPA CODES



MANUFACTURER DISCLAIMER : The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Industrial Finishes makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.